

11/09/00
JC806 U.S. PTO

11-13-00

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

NCR Corporation Docket No. 8884.00

Assistant Commissioner for Patents
Washington, D.C. 20231

NOV 09 2000

JC921 U.S. PTO
09/710342
11/09/00

Sir:

Transmitted herewith for filing is the patent application of Inventor(s):

Stephen W. Swaine and Kenneth A. Nicoll

For: **SELF-SERVICE TERMINAL**

Enclosed are also:

- ☒ 3 Sheet(s) of Drawings
☐ An assignment of the invention to NCR Corporation
☐ A certified copy of an application

CLAIMS AS FILED

FOR	Number Filed		Number Extra		Rate		Basic Fee (\$710)
Total Claims	20	-20 =	0	X	\$ 18	=	\$ 0
Independent Claims	6	-3 =	3	X	\$ 80	=	\$ 240
Multiple Dependent Claims	0			X	\$270	=	\$ 0
Total Filing Fee							= \$ 950

- ☒ Please charge the above filing fee to the account of NCR Corporation, Deposit Account No. 14-0225.

Please have all communications concerning this application and the recorded Assignment directed to:

Michael Chan
Intellectual Property Section
Law Department
NCR Corporation
101 West Schantz, ECD-2
Dayton, Ohio 45479-0001

Our telephone number is: 937-445-4956

Respectfully,

Michael Chan

Attorney for: **Stephen W. Swaine et al.**

**CERTIFICATE OF MAILING
"EXPRESS MAIL"**

"Express Mail"

Mailing Label Number EK 295 543 552 US

Date of Deposit NOV 09 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Shirley Doll

(type or print name of person certifying)

Shirley Doll

Signature

APPLICATION FOR LETTERS PATENT OF THE UNITED STATES

CERTIFICATE OF MAILING "EXPRESS MAIL"

"Express Mail"

Mailing Label Number EK 295 543 552 US

Date of Deposit NOV 09 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Shirley Doll

(type or print name of person certifying)



Signature

SPECIFICATION

To all whom it may concern:

Be It Known, That we, **Stephen W. Swaine** and **Kenneth A. Nicoll**, of Perthshire, United Kingdom and Dundee, United Kingdom; respectively, have invented certain new and useful improvements in **SELF-SERVICE TERMINAL**, of which we declare the following to be a full, clear and exact description:

SELF-SERVICE TERMINAL

Background of the Invention

The present invention relates to a self-service terminal (SST). In particular, the
5 invention relates to an SST, such as an automated teller machine (ATM), having a simplified user interface.

ATM user interfaces generally have two sets of keys for inputting data. One set is referred to as a keypad and comprises typically sixteen keys, where each key displays a numeral (typically from "0" to "9"), a brief word (such as "Enter", "Cancel", or such like), or
10 is left blank. The second set of keys is referred to as FDKs (function display keys) and typically consists of two columns of four identical keys. The columns are located on either side of a screen, and a leader line is provided between each key and a portion of the screen to align the key with any text displayed on that portion of the screen. During a transaction, the ATM may display transaction types or amounts as options on the screen for selecting using
15 an appropriate FDK. The function associated with each FDK depends on the option displayed by the screen.

One problem with using an ATM is that conventional ATMs conventionally provide many different transaction options. To execute a desired transaction a user must navigate through a sequence of menu screens using the keypad or FDKs as appropriate. This
20 increases the possibility of a user becoming confused and/or failing to navigate through the sequence of menu screens to execute a desired transaction.

Another problem with using an ATM is that most of the keys look very similar to someone who is partially-sighted or cognitively-impaired, which may make it more difficult for these people to use ATMs effectively.

25 A disadvantage associated with having an ATM that uses two sets of keys is the additional expense in providing these keys and in aligning the FDKs with a screen to avoid parallax problems (where text on a display only aligns with an FDK at a particular viewing angle).

Summary of the Invention

It is an object of one or more embodiments of the present invention to obviate or mitigate one or more of the above disadvantages or other disadvantages associated with conventional SSTs.

5 According to a first aspect of the invention there is provided a self-service terminal having a user interface comprising a plurality of indicators for entering data characterized in that each indicator has a unique attribute, and each indicator may be associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting a single indicator.

10 By virtue of this aspect of the invention dedicated indicators are provided on an SST, each indicator being operable to execute a specific transaction, so that a user only requires to make one selection to execute a complete transaction. This ensures that a user does not need to navigate through a sequence of menu screens to select a transaction.

15 Preferably, each indicator is permanently visible, so that a user can observe the indicators prior to using the SST. This feature has the advantage that a user can verify that an SST has a single selection transaction capability before using the SST. Alternatively, the indicators may be displayed only after a user has been identified. This feature may be used if the indicators are provided on a touch-sensitive screen.

20 Preferably, each indicator is three-dimensional, such as a push button, a key, or such like. Alternatively, each indicator may be two-dimensional, such as an image displayed on a touch-sensitive screen, or such like. The advantage of having a three-dimensional indicator is that a blind or partially-sighted person can locate the indicators more easily than if they are two-dimensional.

25 Preferably, each three-dimensional indicator is configured so that the indicator protrudes from a surface on which it is mounted. This configuration allows a blind or partially-sighted person to touch the sides and top surface of an indicator, thereby assisting the user to identify the indicator.

The unique attribute may be related to the size of the indicator, for example, one indicator may be very small, a second indicator may be larger than the first, a third indicator may be larger than the second, and so on, so that a user can distinguish between indicators by the size of each indicator.

5 The unique attribute may be related to the color of the indicator, for example, one indicator may be blue, another red, another green, another yellow, and such like.

The unique attribute may be related to the shape of the indicator, for example, one indicator may be star-shaped, another may be square, another may be round, and such like.

10 The unique attribute may be related to the surface texture and/or surface pattern of the indicator.

The unique attribute may be a combination of two or more of the above attributes, for example, a yellow star-shaped indicator, a blue square indicator, or such like.

15 The unique attribute may be related to some other recognizable difference between the indicators to allow a cognitively-impaired individual to discriminate readily between the different indicators.

The pre-defined transaction may be withdrawal of cash, printing a receipt, depositing cash, purchasing a money order, or such like.

20 In one embodiment, the pre-defined transaction may be programmed by a user; that is, the indicators may be user-configurable so that a user is able to associate each indicator with a desired transaction. In such an embodiment, each indicator may be associated with a different transaction for each user. For example, for one user a star-shaped key may be associated with withdrawing ten pounds; whereas, for another user, the same star-shaped key may be associated with printing a receipt.

25 In another embodiment, the pre-defined transaction may be programmed by the owner of the SST; that is, the indicators may be configured by the owner of the SST so that each indicator is associated with the same transaction regardless of the identity of the user.

For example, a star-shaped key may be associated with withdrawing twenty pounds for every user of the SST.

In one embodiment, the unique attribute of each indicator may designate the type of transaction associated with that indicator. For example, an indicator that is associated with
 5 printing a receipt may include an image of a receipt; an indicator that is associated with withdrawing twenty pounds may include an image of a twenty pound note; and such like.

In another embodiment, the unique attribute of each indicator that is associated with withdrawing cash may include the amount of cash that is withdrawn by selecting that indicator. For example, an indicator for withdrawing ten pounds may include the text “£10”
 10 on the indicator.

These embodiments have particular advantages for cognitively-impaired individuals as they are provided with a visual indication of the type and/or value of the transaction associated with each indicator.

According to a second aspect of the invention there is provided a self-service terminal
 15 having a user interface comprising a plurality of indicators for entering data characterized in that each indicator is different to the other indicators, and each indicator may be associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting only one indicator.

According to a third aspect of the invention there is provided a method of executing a
 20 transaction at a self-service terminal, the method characterized by the steps of: providing a plurality of indicators, each indicator having a unique attribute; associating a unique transaction with each indicator; and, in response to a selection of one of the indicators, executing a transaction associated with the selected indicator.

According to a fourth aspect of the invention there is provided a self-service terminal
 25 comprising a user-interface consisting essentially of a plurality of different indicators, an identifier, and a dispensing area.

The identifier may be in the form of a card reader with or without a PIN entry device, a biometrics unit, or some other device for identifying a user.

The dispensing area may comprise one or more slots for dispensing valuable media such as cash, tickets, vouchers, and such like.

5 By virtue of this aspect of the invention an SST is provided that is inexpensive because it may not require a display.

According to a fifth aspect of the invention there is provided a self-service terminal characterized in that the terminal includes a plurality of different indicators, each indicator being associated with a specific transaction, whereby a user can execute a desired transaction
10 in a single operation by selecting one of the indicators.

According to a sixth aspect of the invention there is provided a self-service terminal including a plurality of indicators characterized in that each indicator is operable to execute a transaction as a result of a single selection, so that after a user is identified, each transaction consists of a single selection by a user.

15

Brief Description of the Drawings

These and other aspects of the invention will be apparent from the following specific description, given by way of example, with reference to the accompanying drawings, in which:

20 Fig 1 is a perspective view of an SST in accordance with one embodiment of the present invention;

Fig 2 is a plan view of the SST of Fig 1;

Fig 3 is an enlarged view of the indicators of Figs 1 and 2; and

Fig 4 is a block diagram of the SST of Figs 1 and 2.

Detailed Description

Referring to Figs 1 to 3, an SST 10 in the form of an ATM has an egg-shaped body 12 mounted on a base 14 that is coupled to a stand 16. The ATM 10 includes a user interface 20. The user interface 20 comprises an LCD touch-sensitive display 22, a dispensing area 24
 5 for dispensing cash to a user of the ATM 10, a swipe card reader slot 26, and six permanently-visible indicators 28a to 28f.

The six indicators 28 are in the form of six push buttons, each push button having a different shape, including an ellipse 28a, a square 28b, a circle 28c, a diamond 28d, a triangle 28e, and a star 28f.

10 Referring to Fig 4, the ATM 10 has a controller 30 for controlling the operation of the ATM 10. The controller 30 is connected to a dispenser 32, the LCD display 22, an indicators module 34 that includes the push buttons 28, and a card reader module 36 that is located behind the card reader slot 26.

Each push button (for example, 28a) is associated with a pre-defined transaction. In
 15 this embodiment, the elliptical button 28a is associated with withdrawing ten pounds, the square button 28b is associated with withdrawing twenty pounds, the circular button 28c is associated with withdrawing thirty pounds, the diamond-shaped button 28d is associated with withdrawing forty pounds, the triangular button 28e is associated with withdrawing fifty pounds, and the star-shaped button 28f is associated with requesting a statement. The
 20 controller 30 is programmed with the pre-defined transactions.

To use the ATM 10, a user swipes his/her card through slot 26, enters his/her PIN using the LCD touch-sensitive display 22, and selects the push button 28 corresponding to the desired transaction, for example push button 28a for withdrawing ten pounds. On detecting push button 28a being depressed, the controller 30 instructs the dispenser 32 to
 25 dispense ten pounds to the dispense area 24 for collection by the user.

The ATM 10 may include some information (in the form of a label or presented on the display 22) to notify users about the type and/or value of the transaction associated with each push button.

It will be appreciated that this embodiment has the advantage that a user can execute a transaction by pressing one push button. Another advantage is that if a blind person is using the ATM, then the blind user can easily select a transaction because each push button has a different shape and the function of each push button is not determined by any text presented on the display 22.

Various modifications may be made to the above described embodiment within the scope of the invention, for example, in the above embodiment the unique attribute of each push button is the shape, in other embodiments the unique attribute may be color, texture, smell, or any other convenient characteristic for differentiating between push buttons. The indicators may be displayed on the display as touch-sensitive images. In other embodiments, a display may not be required. In other embodiments, the transaction associated with each indicator may be programmed by each user. In other embodiments, the ATM may have a cuboid shape rather than an egg shape. In other embodiments, the SST may be an information kiosk.

What is Claimed is:

1. A self-service terminal comprising:

a user interface including a plurality of indicators for entering data, each indicator having a unique attribute and being associated with a pre-defined transaction so that a user may execute a desired transaction by selecting a single indicator.
2. A terminal according to claim 1, wherein each indicator includes a push button.
3. A terminal according to claim 1, wherein the indicator protrudes from a surface on which it is mounted.
4. A terminal according to claim 1, wherein the unique attribute is related to the size of the indicator.
5. A terminal according to claim 1, wherein the unique attribute is related to the color of the indicator.
6. A terminal according to claim 1, wherein the pre-defined transaction is programmed by a user.
7. A terminal according to claim 1, wherein the pre-defined transaction is programmed by the owner of the terminal.

8. A self-service terminal comprising:

a user interface including a plurality of indicators for entering data, each indicator being different to the other indicators and being associated with a pre-defined transaction so that a user may execute a desired transaction by selecting only one indicator.

9. A method of executing a transaction at a self-service terminal, the method comprising:

providing a plurality of indicators, each indicator having a unique attribute;
associating a unique transaction with each indicator; and

- 5 in response to a selection of one of the indicators, executing a transaction associated with the selected indicator.

10. A self-service terminal comprising:

a user-interface consisting essentially of a plurality of different indicators, an identifier, and a dispensing area.

11. A self-service terminal comprising:

a user interface including a plurality of indicators for entering data, each indicator having a unique attribute such that a user can execute a desired transaction by selecting a single indicator.

12. A terminal according to claim 11, wherein each indicator is associated with a pre-defined transaction.

13. A terminal according to claim 11, wherein each indicator includes a push button.
14. A terminal according to claim 13, wherein at least one of the indicators protrudes from a surface on which it is mounted.
15. A terminal according to claim 11, wherein the unique attribute is related to the size of the indicator.
16. A terminal according to claim 11, wherein the unique attribute is related to the color of the indicator.
17. A terminal according to claim 11, wherein the pre-defined transaction is programmed by a user.
18. A terminal according to claim 11, wherein the pre-defined transaction is programmed by the owner of the terminal.
19. A self-service terminal comprising:
a user interface including a plurality of indicators for entering data, each indicator being different from the other indicators such that a user can execute a desired transaction by selecting only one indicator.
20. A self-service terminal according to claim 19, wherein each indicator is associated with a pre-defined transaction.

SELF-SERVICE TERMINAL

Abstract

5

FIG. 1




FIG. 2




FIG. 3





FIG. 4



United States Patent Application

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SELF-SERVICE TERMINAL

and identified by NCR Corporation Docket No. **8884.00**, the specification of which:

- a. ☒ is attached hereto
- b. ☐ was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable), which I have reviewed and for which I solicit a United States patent.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT application having a filing date before that of the application on the basis of which priority is claimed:

FOREIGN APPLICATION(S), IF ANY, CLAIMING PRIORITY UNDER 35 USC § 119

COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
Great Britain	9928736.9	3 December 1999	N/A

OTHER FOREIGN APPLICATION(S), IF ANY, FILED BEFORE THE PRIORITY APPLICATION(S)

COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
	None		

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or 365(c) of any PCT international application(s) designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a)

which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. PARENT APPLICATION OR PCT PARENT NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)
None		

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below:

U.S. PROVISIONAL APPLICATION NUMBER	DATE OF FILING (Day, Month, Year)
None	

And I hereby appoint: Michael Chan of Dayton, Ohio, Registration No. 33,663,
John D. Cowart of San Diego, California, Registration No. 38,415,
Douglas S. Foote of Dayton, Ohio, Registration No. 31,013,
Paul W. Martin of Dayton, Ohio, Registration No. 34,870,
James M. Stover of Dayton, Ohio, Registration No. 32,759.

my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. I hereby expressly waive my right to revoke the Power of Attorney granted above. Address all telephone calls to Michael Chan at telephone number 937-445-4956.

Address all correspondence to: Michael Chan
NCR Corporation
101 West Schantz, ECD-2
Dayton, Ohio 45479-0001.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of inventor Stephen W. Swaine
Inventor's signature _____ Date: _____
Residence Station House, Easter Coul, Auchterarder, Perthshire, United Kingdom PH13 1DS
Citizenship United Kingdom
Post Office Address Same as above

Full name of inventor Kenneth A. Nicoll
Inventor's signature _____ Date: _____
Residence Parkview, 174 Coupar Angus Road, Birkhill, Dundee, United Kingdom DD2 5PG
Citizenship United Kingdom
Post Office Address Same as above